Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	8	stack with recover\$4 with corruption	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 19:00
L10	48	replac\$4 with stack with stor\$4 with value	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 21:24
L11	13	replac\$4 with stack with stor\$4 with value and ((error or fault or fail\$4) near4 (correct\$4 or recover\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 21:29
L12	35	replac\$4 with stack with value and ((error or fault or fail\$4) near4 (correct\$4 or recover\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 21:29
L13	22	12 not 11	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 21:36
L14	5	(("5327547") or ("5163140") or ("5093778")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 21:51
L16	1	replac\$4 with stack with stor\$4 with (save or copy) near4 (state or value or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 21:53
L26	2064	(714/6).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 22:11
L27	87	(714/21).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 22:12
L29	978	(714/15).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 22:13
L31	3029	26 or 27 or 29	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 22:13

L32	278	31 and stack	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 22:13
L33	1202	31 and (stack or lifo or fifo or buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 22:14
L34	126	31 and (stack or lifo or fifo or buffer) with (recover\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 22:15
L35	16	31 and (stack or lifo or fifo or buffer) with (reçover\$4) and detect\$4 with compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 22:15
L36	16	31 and (stack or lifo or fifo or buffer) with (recover\$4) and (detect\$4 with compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 22:15
L38	5	31 and (stack or lifo or fifo or buffer) and ((recover\$4) with replac\$4) and (detect\$4 with compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 22:16
SI	946	(714/15).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/07 22:11
S2	316	(714/20).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/01/05 14:12
S3	707	(714/42).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/19 17:23
S4	284	(714/54).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/19 17:24
S5	1	(stack or buffer) with (overflow or corrupt\$4) with state with compare	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/19 17:24

S6	16	(stack or buffer) with (overflow or corrupt\$4) with state with compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/19 17:26
S7 '	902	(stack or buffer) near4 state with compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/19 17:26
S8	142	(stack or buffer) near4 state with compar\$4 and (overflow or corrupt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/19 17:27
S9	133	S8 not S6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/19 17:27
S10	195	(stack or buffer) and (compare with state with (corrupt\$4 or error or fail\$4 or fault))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 15:39
S11	16	(stack or buffer) with (overflow or corrupt\$4) with state with compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 15:39
S12	142	(stack or buffer) near4 state with compar\$4 and (overflow or corrupt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 18:39
S13	133	S12 not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 15:39
S14	191	S10 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 15:39
S15	55	(stack or buffer) near4 state near4 compar\$4 and (overflow or corrupt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 19:39
S16	2407	state near4 compar\$4 with (overflow or corrupt\$4 or error or fault or fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 19:39

		· · · · · · · · · · · · · · · · · · ·				
S17	51	state near4 compar\$4 with different with (overflow or corrupt\$4 or error or fault or fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 19:52
S18	0	state near4 compar\$4 with different with (corrupt\$4) with fram	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 19:54
S19	0	state near4 compar\$4 with different with (corrupt\$4) with frame	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 19:54
S20	0	state near4 compar\$4 with different same (corrupt\$4) with frame	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 19:54
S21	0	state near4 compar\$4 with different same corrupt\$4 with frame	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 19:55
S22	2	state near4 compar\$4 with different and corrupt\$4 with frame	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 19:55
S23	63	state near4 compar\$4 and corrupt\$4 with frame	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 19:56
S24	8	state near4 compar\$4 and corrupt\$4 with (stack or buffer or FIFO) with frame	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 19:59
S25	1	state near4 compar\$4 and corrupt\$4 with replace with (stack or buffer or FIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 20:00
S26	353	(detect\$4 and recover\$4) with (stack or buffer) with (corrupt\$4 or error or fault or fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 20:01
S27	246	(detect\$4 and recover\$4) with (stack or buffer) with (corrupt\$4 or error or fault or fail\$4) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 20:01

			•			
S28	35	(detect\$4 and recover\$4) with (stack or buffer) with (corrupt\$4 or error or fault or fail\$4) and state near4 compare	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 20:13
S29	55	(detect\$4 and recover\$4) with (stack or buffer) with (corrupt\$4 or error or fault or fail\$4) and state near4 compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 20:01
S31	91	(714/17).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 20:50
S32	192	(714/18).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 20:50
S33	946	(714/15).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 20:52
S34	19	S33 and (compar\$4 and replac\$4) with state	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 20:52
S35	11	("5237669" "5564036" "5802583" "5857204" "5996088" "6141773" "6269381" "6286113" "6339815").PN. OR ("6543006").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/20 21:07
S36	7738	buffer near4 overflow	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:28
S37	7738	buffer near4 overflow	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:30
S38	99	buffer near4 overflow and hacker	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:30
S39	37	buffer near4 overflow and hacker and compar\$4 and replac\$4 and state	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:38
S40	315	prologue and epilogue	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:38

S41	213	prologue and epilogue and compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:39
S42	175	prologue and epilogue and compar\$4 and state	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:55
S43	41	prologue and epilogue and compar\$4 and state and overflow	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:44
S44	5	prologue and epilogue and compar\$4 near4 state and overflow	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:41
S45	8	(("5768593") or ("6397242") or ("20010049818") or ("20020059268")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:41
S46	36	S43 not S44	US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:44
S47	2	("6820214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:53
S48	41	prologue and epilogue and compar\$4 and overflow	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:55
S49	.76	prologue and epilogue and compar\$4 and stack	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:55
S50	16	prologue and epilogue and compar\$4 and stack and replace	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:56
S51	33	prologue and epilogue and compar\$4 and stack and replac\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/20 21:56

			J			
S52	600	(714/819).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/21 14:08
S53	426	(714/824).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/21 15:33
S54	6	(S52 or S53) and (stack or buffer or LIFO) with (overflow or corrupt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/21 14:09
S55	180	(S52 or S53) and (buffer or stack or LIFO or heap)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF.	2006/09/21 17:18
S56	2	("6,002,872").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/21 17:18
S57	52	("3916387" "5355487" "5696701" "5732272" "5774729" "5828883" "5889993" "5911060").PN. OR ("6002872").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/21 19:25
S58	1135	(710/260).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/21 19:25
S59	52	S58 and stack and overflow	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/21 19:26
S60	17	S58 and stack and overflow and recover\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/21 19:55
S61	325	redundant with stack	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/21 19:28
S62	49	redundant with stack and recover	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/21 19:33
S63	91	redundant with stack and recover\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF ,	2006/09/21 19:28

S64	5	redundant with stack and recover and overflow	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/21 19:28
S65	122	asynchronous\$3 with (lockstep or lock-step)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF'	2006/09/21 19:56
S66	30	asynchronous\$3 with (lockstep or lock-step) and compare and (replac\$4 or recover\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/21 19:56
S67	43	"mov esp"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/09/26 22:02